









# CLS

## Description

The CLS Coin Recycler is noted for its high speed coin handling capabilities and compact dimensions. It provides efficient and accurate coin management in both embedded solutions such as self-check outs and standalone applications such as counter tops.

CLS can validate 10 coins per second and sort them into 8 separate denominations. It also supports most of the world's currencies.

Freestanding counter top coin recycling or can be embedded in a cash payment device





# **Benefits**

#### **Maximum Customer Throughput with Faster Transactions**

50 coins in, 10 coin per second acceptance - accelerate customers through the payment process

#### Compact Dimensions - provides design flexibility and minimizes real estate

Flexibility to be integrated in a variety of applications such as Self checkouts in grocery lanes, automated bank tellers and standalone payment kiosk

## **Maximum Uptime with High Coin Capacity**

CLS can hold up to 2,640 €1 coins, minimizing the need for refilling and cashier intervention

#### Protect assets with advanced security

Fully enclosed, dual-locking system to secure coins







## Specifications

#### Dimensions (H x W x D mm)

• 250 x 300 x 420 (without coin cup), 250 x 300 x 485 (with coin cup)

#### **Coin Capacity**

Maximum 335 x 1€ coins in a Single hopper

#### **Enclosure / Mounting**

· Exterior cabinet included

#### **Coin Denominations**

• Up to 8 coin denominations possible

#### **Coin Input Speed**

• 10 coins per second (cps)

#### **Coin Output Speed**

• 6 coins per second (cps)

#### Security

· Dual locking system limits access to coins

#### **Operating Temperature**

• 5 °C to 55 °C

#### Coin-in to Coin-out Height (mm)

• 248 mm

#### **Operating Humidity**

5 – 85%

#### **Storage Humidity**

• 5 – 85% (unpacked)

#### **Bulk Coin Input**

• 30 mixed coins at once

#### **Validation Speed**

• First coin accepted < 2 seconds

#### **Certifications and Compliance**

CE and UL approved

#### **Power Requirements**

• 24 volt

## **Storage Temperature**

5 °C to 40 °C

#### **Coin Processing**

• Depends on sorting spiral installed, EUR configuration: 16.25-25.75 mm

#### **Maximum Output**

Bowl cup capacity of 50 coins





# **Variants**

#### **Triple and Dual Hoppers**





- A double hopper inserts into one hopper slot and bowl covers two hopper slots
- A triple bowl inserts into one hopper slot and bowl covers three hopper slots
- A hopper slot can remain empty



### Single hopper

You can have up to 8 Single hoppers in the CLS unit





# Accessories



Single Hopper



**Triple and Dual Hoppers** 

